





Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
1	1169001A	2		Dado con rondella	Nut with washer	Ecrou avec rondelle	Tuerca con arandella
3	857XPMC0209PL	1		Corpo pompa	Pump body	Corps de pompe	Cuerpo bomba
4	122SS4P05A	1		Supporto superiore	Upper bearing	Palier superieur	Soporte superior
5	1160335	1		Vite	Screw	Vis	Tornillo
6	11478263	1		Rondella	Washer	Rondelle	Arandela
7	15704S03NT	1		Distanziale	Spacer	Entretoise	Distanciador
8	121DSR2N	9		Diffusore	Diffuser	Diffuseur	Difusor
9	1147826	1		Rondella	Washer	Rondelle	Arandela
10	161GRSR2N	9		Girante	Impeller	Roue	Rodete
11	857XA0R2N	9		Scatola porta diffusore	Bowl	Boîte diffuseur	Caja porta difusor
12	ASSG4SR02	9		Stadio completo	Complete Stage	Complète étage	Estadio completa
13	1147825	2		Rondella	Washer	Rondelle	Arandela
14	15704I01P	1		Distanziale	Spacer	Entretoise	Distanciador
15	RBG02A01P	1		Albero con giunto	Shaft with coupling	Arbre avec accouplement	Eje con acoplamiento
16	122SI4BLK01	1		Supporto intermedio	Intermediate bearing	Palier intermediaire	Soporte intermedio
17	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
18	115225	1		Labirinto parasabbia	Sand seal	Labyrinthe pare-sable	Laberinto antiarena
19	114730	1		Rondella	Washer	Rondelle	Arandela
20	157PS4SK01	1		Coperchio parasabbia	Stainless steel sand seal cover	Couvercle pare-sable	Tapa antiarena inox
21	114625	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
22	11478271	1		Rondella	Washer	Rondelle	Arandela
23	11516521600	1		Tenuta meccanica Ø 16 mm	Mechanical seal Ø 16 mm	Garniture mécanique Ø 16 mm	Sello mecánico Ø 16 mm
24	1160850A	2		Vite con guarnizione OR	Screw with O-Ring	Vis avec Joint torique	Tornillo con Junta tórica
25	1160295	4		Vite	Screw	Vis	Tornillo
26	119035	4		Perno	Pin	Tage	Perno
27	123PMSS01	1		Supporto pompa	Pump base	Support de la pompe	Suporte bomba
28	11514201472	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
29	123MMSM01	1		Supporto motore	Motor bearing	Palier de moteur	Soporte de motor
30	11514501234	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
31	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
32	114001	1		Molla di compensazione	Compensation spring	Ressort de compensation	Muelle de compensación
34	113002C3E	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento
37	1147051	1		Rondella	Washer	Rondelle	Arandela

Segue/Follows/Suite/Sigue ►


Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
38	1160824	4		Vite	Screw	Vis	Tornillo
39	157MMSB01	1		Supporto inferiore	Lower bearing	Palier inferieur	Soporte inferior
40	1146661	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
41	1150620	1		Guarnizione	Gasket	Joint	Junta
VERSIONE MONOFASE - SINGLE PHASE VERSION - VERSION MONOPHASE - VERSION MONOFASICA							
2	857X4BK2090P1	1		Copricavo	Cable guard	Protection de câble	Protector del cable
33	RFM16C01M	1		Albero con rotore	Shaft with rotor	Arbre avec rotor	Eje con rotor
35	113030	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento
36	11478275	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
42	ASS123MML20	1		Base con cavo di alimentazione da 20m	Base with supply cable 20m	Base avec câble de alimentation 20m	Base con cable de alimentación 20m
43	1150202F5	1		Condensatore 20 µF	Capacitor 20 µF	Condensateur 20 µF	Condensador 20 µF
44	CA061PM120P1	1		Cassa motore con statore avvolto (220V - 60 Hz)	Motor casing with windings (220V - 60 Hz)	Carcasse moteur avec bobinage (220V - 60 Hz)	Caja motor con estator bobinado (220V - 60 Hz)
Con riserva di modifiche. Technical modifications reserved. Sous réserve de modification technique. Reservado el derecho a introducir modificaciones.							



Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
1	1169001A	2		Dado con rondella	Nut with washer	Ecrou avec rondelle	Tuerca con arandella
3	857XPMC011PL	1		Corpo pompa	Pump body	Corps de pompe	Cuerpo bomba
4	122SS4P05A	1		Supporto superiore	Upper bearing	Palier superieur	Soporte superior
5	1160335	1		Vite	Screw	Vis	Tornillo
6	11478263	1		Rondella	Washer	Rondelle	Arandela
7	15704S03NT	1		Distanziale	Spacer	Entretoise	Distanciador
8	121DSR2N	11		Diffusore	Diffuser	Diffuseur	Difusor
9	1147826	1		Rondella	Washer	Rondelle	Arandela
10	161GRSR2N	11		Girante	Impeller	Roue	Rodete
11	857XA0R2N	11		Scatola porta diffusore	Bowl	Boîte diffuseur	Caja porta difusor
12	ASSG4SR02	11		Stadio completo	Complete Stage	Complète étage	Estadio completa
13	1147825	2		Rondella	Washer	Rondelle	Arandela
14	15704I01P	1		Distanziale	Spacer	Entretoise	Distanciador
15	RBG02B01P	1		Albero con giunto	Shaft with coupling	Arbre avec accouplement	Eje con acoplamiento
16	122SI4BLK01	1		Supporto intermedio	Intermediate bearing	Palier intermediaire	Soporte intermedio
17	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
18	115225	1		Labirinto parasabbia	Sand seal	Labyrinthe pare-sable	Laberinto antiarena
19	114730	1		Rondella	Washer	Rondelle	Arandela
20	157PS4SK01	1		Coperchio parasabbia	Stainless steel sand seal cover	Couvercle pare-sable	Tapa antiarena inox
21	114625	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
22	11478271	1		Rondella	Washer	Rondelle	Arandela
23	11516521600	1		Tenuta meccanica Ø 16 mm	Mechanical seal Ø 16 mm	Garniture mécanique Ø 16 mm	Sello mecánico Ø 16 mm
24	1160850A	2		Vite con guarnizione OR	Screw with O-Ring	Vis avec Joint torique	Tornillo con Junta tórica
25	1160295	4		Vite	Screw	Vis	Tornillo
26	119035	4		Perno	Pin	Tage	Perno
27	123PMSS01	1		Supporto pompa	Pump base	Support de la pompe	Suporte bomba
28	11514201472	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
29	123MMSM01	1		Supporto motore	Motor bearing	Palier de moteur	Soporte de motor
30	11514501234	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
31	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
32	114001	1		Molla di compensazione	Compensation spring	Ressort de compensation	Muelle de compensación
34	113002C3E	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento
35	113030	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento

Segue/Follows/Suite/Sigue ►


Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
36	11478275	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
37	1147051	1		Rondella	Washer	Rondelle	Arandela
38	1160824	4		Vite	Screw	Vis	Tornillo
39	157MMSB01	1		Supporto inferiore	Lower bearing	Palier inferieur	Soporte inferior
40	1146661	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
41	1150620	1		Guarnizione	Gasket	Joint	Junta
VERSIONE MONOFASE - SINGLE PHASE VERSION - VERSION MONOPHASE - VERSION MONOFASICA							
2	857X4BK2110P1	1		Copricavo	Cable guard	Protection de câble	Protector del cable
33	RFM16CA06M	1		Albero con rotore	Shaft with rotor	Arbre avec rotor	Eje con rotor
42	ASS123MML20	1		Base con cavo di alimentazione da 20m	Base with supply cable 20m	Base avec câble de alimentation 20m	Base con cable de alimentación 20m
43	1110312F5	1		Condensatore 31,5 µF	Capacitor 31,5 µF	Condensateur 31,5 µF	Condensador 31,5 µF
44	CA061PM150P1	1		Cassa motore con statore avvolto (220V - 60 Hz)	Motor casing with windings (220V - 60 Hz)	Carcasse moteur avec bobinage (220V - 60 Hz)	Caja motor con estator bobinado (220V - 60 Hz)
Con riserva di modifiche. Technical modifications reserved. Sous réserve de modification technique. Reservado el derecho a introducir modificaciones.							



Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
1	1169001A	2		Dado con rondella	Nut with washer	Ecrou avec rondelle	Tuerca con arandella
3	857XPMC0215PL	1		Corpo pompa	Pump body	Corps de pompe	Cuerpo bomba
4	122SS4P05A	1		Supporto superiore	Upper bearing	Palier superieur	Soporte superior
5	1160335	1		Vite	Screw	Vis	Tornillo
6	11478263	1		Rondella	Washer	Rondelle	Arandela
7	15704S03NT	1		Distanziale	Spacer	Entretoise	Distanciador
8	121DSR2N	15		Diffusore	Diffuser	Diffuseur	Difusor
9	1147826	1		Rondella	Washer	Rondelle	Arandela
10	161GRSR2N	15		Girante	Impeller	Roue	Rodete
11	857XA0R2N	15		Scatola porta diffusore	Bowl	Boîte diffuseur	Caja porta difusor
12	ASSG4SR02	15		Stadio completo	Complete Stage	Complète étage	Estadio completa
13	1147825	2		Rondella	Washer	Rondelle	Arandela
14	15704I01P	1		Distanziale	Spacer	Entretoise	Distanciador
15	RBG02D01	1		Albero con giunto	Shaft with coupling	Arbre avec accouplement	Eje con acoplamiento
16	122SI4BLK01	1		Supporto intermedio	Intermediate bearing	Palier intermediaire	Soporte intermedio
17	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
18	115225	1		Labirinto parasabbia	Sand seal	Labyrinthe pare-sable	Laberinto antiarena
19	114730	1		Rondella	Washer	Rondelle	Arandela
20	157PS4SK01	1		Coperchio parasabbia	Stainless steel sand seal cover	Couvercle pare-sable	Tapa antiarena inox
21	114625	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
22	11478271	1		Rondella	Washer	Rondelle	Arandela
23	11516521600	1		Tenuta meccanica Ø 16 mm	Mechanical seal Ø 16 mm	Garniture mécanique Ø 16 mm	Sello mecánico Ø 16 mm
24	1160850A	2		Vite con guarnizione OR	Screw with O-Ring	Vis avec Joint torique	Tornillo con Junta tórica
25	1160295	4		Vite	Screw	Vis	Tornillo
26	119035	4		Perno	Pin	Tage	Perno
27	123PMSS01	1		Supporto pompa	Pump base	Support de la pompe	Suporte bomba
28	11514201472	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
29	123MMSM01	1		Supporto motore	Motor bearing	Palier de moteur	Soporte de motor
30	11514501234	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
31	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
32	114001	1		Molla di compensazione	Compensation spring	Ressort de compensation	Muelle de compensación
34	113002C3E	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento
35	113030	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento

Segue/Follows/Suite/Sigue ►


Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
36	11478275	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
37	1147051	1		Rondella	Washer	Rondelle	Arandela
38	1160824	4		Vite	Screw	Vis	Tornillo
39	157MMSB01	1		Supporto inferiore	Lower bearing	Palier inferieur	Soporte inferior
40	1146661	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
41	1150620	1		Guarnizione	Gasket	Joint	Junta
VERSIONE MONOFASE - SINGLE PHASE VERSION - VERSION MONOPHASE - VERSION MONOFASICA							
2	857X4BK2150P1	1		Copricavo	Cable guard	Protection de câble	Protector del cable
33	RFM16D01M	1		Albero con rotore	Shaft with rotor	Arbre avec rotor	Eje con rotor
42	ASS123MML20	1		Base con cavo di alimentazione da 20m	Base with supply cable 20m	Base avec câble de alimentation 20m	Base con cable de alimentación 20m
43	1110352F5	1		Condensatore 35 µF	Capacitor 35 µF	Condensateur 35 µF	Condensador 35 µF
44	CA061PM180P1	1		Cassa motore con statore avvolto (220V - 60 Hz)	Motor casing with windings (220V - 60 Hz)	Carcasse moteur avec bobinage (220V - 60 Hz)	Caja motor con estator bobinado (220V - 60 Hz)
Con riserva di modifiche. Technical modifications reserved. Sous réserve de modification technique. Reservado el derecho a introducir modificaciones.							



Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
1	1169001A	2		Dado con rondella	Nut with washer	Ecrou avec rondelle	Tuerca con arandella
3	857XPMC0406PL	1		Corpo pompa	Pump body	Corps de pompe	Cuerpo bomba
4	122SS4P05A	1		Supporto superiore	Upper bearing	Palier superieur	Soporte superior
5	1160335	1		Vite	Screw	Vis	Tornillo
6	11478263	1		Rondella	Washer	Rondelle	Arandela
7	15704S03NT	1		Distanziale	Spacer	Entretoise	Distanciador
8	121DSR4N	6		Diffusore	Diffuser	Diffuseur	Difusor
9	1147826	1		Rondella	Washer	Rondelle	Arandela
10	161GRSR4N	6		Girante	Impeller	Roue	Rodete
11	857XA0R4N	6		Scatola porta diffusore	Bowl	Boîte diffuseur	Caja porta difusor
12	ASSG4SR04	6		Stadio completo	Complete Stage	Complète étage	Estadio completa
13	1147825	2		Rondella	Washer	Rondelle	Arandela
14	15704I01P	1		Distanziale	Spacer	Entretoise	Distanciador
15	RBG04B01P	1		Albero con giunto	Shaft with coupling	Arbre avec accouplement	Eje con acoplamiento
16	122SI4BLK01	1		Supporto intermedio	Intermediate bearing	Palier intermediaire	Soporte intermedio
17	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
18	115225	1		Labirinto parasabbia	Sand seal	Labyrinthe pare-sable	Laberinto antiarena
19	114730	1		Rondella	Washer	Rondelle	Arandela
20	157PS4SK01	1		Coperchio parasabbia	Stainless steel sand seal cover	Couvercle pare-sable	Tapa antiarena inox
21	114625	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
22	11478271	1		Rondella	Washer	Rondelle	Arandela
23	11516521600	1		Tenuta meccanica Ø 16 mm	Mechanical seal Ø 16 mm	Garniture mécanique Ø 16 mm	Sello mecánico Ø 16 mm
24	1160850A	2		Vite con guarnizione OR	Screw with O-Ring	Vis avec Joint torique	Tornillo con Junta tórica
25	1160295	4		Vite	Screw	Vis	Tornillo
26	119035	4		Perno	Pin	Tage	Perno
27	123PMSS01	1		Supporto pompa	Pump base	Support de la pompe	Suporte bomba
28	11514201472	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
29	123MMSM01	1		Supporto motore	Motor bearing	Palier de moteur	Soporte de motor
30	11514501234	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
31	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
32	114001	1		Molla di compensazione	Compensation spring	Ressort de compensation	Muelle de compensación
34	113002C3E	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento
37	1147051	1		Rondella	Washer	Rondelle	Arandela

Segue/Follows/Suite/Sigue ►


Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
38	1160824	4		Vite	Screw	Vis	Tornillo
39	157MMSB01	1		Supporto inferiore	Lower bearing	Palier inferieur	Soporte inferior
40	1146661	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
41	1150620	1		Guarnizione	Gasket	Joint	Junta
VERSIONE MONOFASE - SINGLE PHASE VERSION - VERSION MONOPHASE - VERSION MONOFASICA							
2	857X4BK2100A	1		Copricavo	Cable guard	Protection de câble	Protector del cable
33	RFM16C01M	1		Albero con rotore	Shaft with rotor	Arbre avec rotor	Eje con rotor
35	113030	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento
36	11478275	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
42	ASS123MML20	1		Base con cavo di alimentazione da 20m	Base with supply cable 20m	Base avec câble de alimentation 20m	Base con cable de alimentación 20m
43	1110202F5	1		Condensatore 20 µF	Capacitor 20 µF	Condensateur 20 µF	Condensador 20 µF
44	CA061PM120P1	1		Cassa motore con statore avvolto (220V - 60 Hz)	Motor casing with windings (220V - 60 Hz)	Carcasse moteur avec bobinage (220V - 60 Hz)	Caja motor con estator bobinado (220V - 60 Hz)
Con riserva di modifiche. Technical modifications reserved. Sous réserve de modification technique. Reservado el derecho a introducir modificaciones.							



Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
1	1169001A	2		Dado con rondella	Nut with washer	Ecrou avec rondelle	Tuerca con arandella
3	857XPMC0407L	1		Corpo pompa	Pump body	Corps de pompe	Cuerpo bomba
4	122SS4P05A	1		Supporto superiore	Upper bearing	Palier superieur	Soporte superior
5	1160335	1		Vite	Screw	Vis	Tornillo
6	11478263	1		Rondella	Washer	Rondelle	Arandela
7	15704S03NT	1		Distanziale	Spacer	Entretoise	Distanciador
8	121DSR4N	7		Diffusore	Diffuser	Diffuseur	Difusor
9	1147826	1		Rondella	Washer	Rondelle	Arandela
10	161GRSR4N	7		Girante	Impeller	Roue	Rodete
11	857XA0R4N	7		Scatola porta diffusore	Bowl	Boîte diffuseur	Caja porta difusor
12	ASSG4SR04	7		Stadio completo	Complete Stage	Complète étage	Estadio completa
13	1147825	2		Rondella	Washer	Rondelle	Arandela
14	15704I01P	1		Distanziale	Spacer	Entretoise	Distanciador
15	RBG04A01	1		Albero con giunto	Shaft with coupling	Arbre avec accouplement	Eje con acoplamiento
16	122SI4BLK01	1		Supporto intermedio	Intermediate bearing	Palier intermediaire	Soporte intermedio
17	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
18	115225	1		Labirinto parasabbia	Sand seal	Labyrinthe pare-sable	Laberinto antiarena
19	114730	1		Rondella	Washer	Rondelle	Arandela
20	157PS4SK01	1		Coperchio parasabbia	Stainless steel sand seal cover	Couvercle pare-sable	Tapa antiarena inox
21	114625	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
22	11478271	1		Rondella	Washer	Rondelle	Arandela
23	11516521600	1		Tenuta meccanica Ø 16 mm	Mechanical seal Ø 16 mm	Garniture mécanique Ø 16 mm	Sello mecánico Ø 16 mm
24	1160850A	2		Vite con guarnizione OR	Screw with O-Ring	Vis avec Joint torique	Tornillo con Junta tórica
25	1160295	4		Vite	Screw	Vis	Tornillo
26	119035	4		Perno	Pin	Tage	Perno
27	123PMSS01	1		Supporto pompa	Pump base	Support de la pompe	Suporte bomba
28	11514201472	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
29	123MMSM01	1		Supporto motore	Motor bearing	Palier de moteur	Soporte de motor
30	11514501234	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
31	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
32	114001	1		Molla di compensazione	Compensation spring	Ressort de compensation	Muelle de compensación
34	113002C3E	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento
35	113030	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento

Segue/Follows/Suite/Sigue ►

Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
36	11478275	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
37	1147051	1		Rondella	Washer	Rondelle	Arandela
38	1160824	4		Vite	Screw	Vis	Tornillo
39	157MMSB01	1		Supporto inferiore	Lower bearing	Palier inferieur	Soporte inferior
40	1146661	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
41	1150620	1		Guarnizione	Gasket	Joint	Junta
VERSIONE MONOFASE - SINGLE PHASE VERSION - VERSION MONOPHASE - VERSION MONOFASICA							
2	857X4BK4070P1	1		Copricavo	Cable guard	Protection de câble	Protector del cable
33	RFM16CA06M	1		Albero con rotore	Shaft with rotor	Arbre avec rotor	Eje con rotor
42	ASS123MML20	1		Base con cavo di alimentazione da 20m	Base with supply cable 20m	Base avec câble de alimentation 20m	Base con cable de alimentación 20m
43	1110312F5	1		Condensatore 31,5 µF	Capacitor 31,5 µF	Condensateur 31,5 µF	Condensador 31,5 µF
44	CA061PM150P1	1		Cassa motore con statore avvolto (220V - 60 Hz)	Motor casing with windings (220V - 60 Hz)	Carcasse moteur avec bobinage (220V - 60 Hz)	Caja motor con estator bobinado (220V - 60 Hz)
Con riserva di modifiche. Technical modifications reserved. Sous réserve de modification technique. Reservado el derecho a introducir modificaciones.							



Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
1	1169001A	2		Dado con rondella	Nut with washer	Ecrou avec rondelle	Tuerca con arandella
3	857XPMC0410PL	1		Corpo pompa	Pump body	Corps de pompe	Cuerpo bomba
4	122SS4P05A	1		Supporto superiore	Upper bearing	Palier superieur	Soporte superior
5	1160335	1		Vite	Screw	Vis	Tornillo
6	11478263	1		Rondella	Washer	Rondelle	Arandela
7	15704S03NT	1		Distanziale	Spacer	Entretoise	Distanciador
8	121DSR4N	10		Diffusore	Diffuser	Diffuseur	Difusor
9	1147826	1		Rondella	Washer	Rondelle	Arandela
10	161GRSR4N	10		Girante	Impeller	Roue	Rodete
11	857XA0R4N	10		Scatola porta diffusore	Bowl	Boîte diffuseur	Caja porta difusor
12	ASSG4SR04	10		Stadio completo	Complete Stage	Complète étage	Estadio completa
13	1147825	2		Rondella	Washer	Rondelle	Arandela
14	15704I01P	1		Distanziale	Spacer	Entretoise	Distanciador
15	RBG04C02P	1		Albero con giunto	Shaft with coupling	Arbre avec accouplement	Eje con acoplamiento
16	122SI4BLK01	1		Supporto intermedio	Intermediate bearing	Palier intermediaire	Soporte intermedio
17	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
18	115225	1		Labirinto parasabbia	Sand seal	Labyrinthe pare-sable	Laberinto antiarena
19	114730	1		Rondella	Washer	Rondelle	Arandela
20	157PS4SK01	1		Coperchio parasabbia	Stainless steel sand seal cover	Couvercle pare-sable	Tapa antiarena inox
21	114625	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
22	11478271	1		Rondella	Washer	Rondelle	Arandela
23	11516521600	1		Tenuta meccanica Ø 16 mm	Mechanical seal Ø 16 mm	Garniture mécanique Ø 16 mm	Sello mecánico Ø 16 mm
24	1160850A	2		Vite con guarnizione OR	Screw with O-Ring	Vis avec Joint torique	Tornillo con Junta tórica
25	1160295	4		Vite	Screw	Vis	Tornillo
26	119035	4		Perno	Pin	Tage	Perno
27	123PMSS01	1		Supporto pompa	Pump base	Support de la pompe	Suporte bomba
28	11514201472	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
29	123MMSM01	1		Supporto motore	Motor bearing	Palier de moteur	Soporte de motor
30	11514501234	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
31	11514201578	1		Guarnizione OR	O-Ring	Joint torique	Junta tórica
32	114001	1		Molla di compensazione	Compensation spring	Ressort de compensation	Muelle de compensación
34	113002C3E	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento
35	113030	1		Cuscinetto a sfere	Ball bearing	Roulement à billes	Rodamiento

Segue/Follows/Suite/Sigue ►

Pos.	Cod.	Q.tà Q.té	Q.ty Can.	Descrizione	Description	Description	Descripción
36	11478275	1		Anello di tenuta	Sealing ring	Joint a lèvres	Anillo de cierre
37	1147051	1		Rondella	Washer	Rondelle	Arandela
38	1160824	4		Vite	Screw	Vis	Tornillo
39	157MMSB01	1		Supporto inferiore	Lower bearing	Palier inferieur	Soporte inferior
40	1146661	1		Anello di arresto	Retaining ring	Bague d'arrêt	Anillo de bloqueo
41	1150620	1		Guarnizione	Gasket	Joint	Junta
VERSIONE MONOFASE - SINGLE PHASE VERSION - VERSION MONOPHASE - VERSION MONOFASICA							
2	857X4BK4100P1	1		Copricavo	Cable guard	Protection de câble	Protector del cable
33	RFM16D01M	1		Albero con rotore	Shaft with rotor	Arbre avec rotor	Eje con rotor
42	ASS123MML20	1		Base con cavo di alimentazione da 20m	Base with supply cable 20m	Base avec câble de alimentation 20m	Base con cable de alimentación 20m
43	1110352F5	1		Condensatore 35 µF	Capacitor 35 µF	Condensateur 35 µF	Condensador 35 µF
44	CA061PM180P1	1		Cassa motore con statore avvolto (220V - 60 Hz)	Motor casing with windings (220V - 60 Hz)	Carcasse moteur avec bobinage (220V - 60 Hz)	Caja motor con estator bobinado (220V - 60 Hz)
Con riserva di modifiche. Technical modifications reserved. Sous réserve de modification technique. Reservado el derecho a introducir modificaciones.							